

A Continental-scale Perspective on the Peopling of the Americas: Modeling Geographic Distributions and Ecological Niches of Pleistocene Populations

J. Christopher Gillam, David G. Anderson, and A. Townsend Peterson

A recent innovation in predictive modeling, eco-cultural niche modeling (ECNM), is now being applied to explore population distributions and ecologi-

J. Christopher Gillam, Savannah River Archaeological Research Program, SC Institute of Archaeology and Anthropology, University of South Carolina, 1321 Pendleton St., Columbia, SC 29208; e-mail: gillam@sc.edu

David G. Anderson, Department of Anthropology, 250 South Stadium Hall, University of Tennessee, Knoxville, TN 37996; e-mail: dander19@utk.edu

A. Townsend Peterson, Natural History Museum & Biodiversity Research Center and Department of Ecology & Evolutionary Biology, University of Kansas, Lawrence, KS 66045; e-mail: town@ku.edu

cal niches of early hunter-gatherers (Anderson et al. 2005; Banks et al. 2006; Gillam and Tabarev 2006). This approach, originally developed for predictive modeling of plant and animal species distributions, has had great success in application to biological sciences (Soberón and Peterson 2004). In focusing on estimating ecological niches of species, this approach reconstructs key aspects of their distributional biology and ecology, and thus shows excellent predictivity in understanding their geographic distributions.

Preliminary analyses across East Asia and Siberia, Europe, and North America have been developed to explore the potential of ECNM for understanding Middle and Upper Paleolithic human population distributions in the Old World and those of Paleoindians in North America (Anderson et al. 2005; Banks et al. 2006; Gillam and Tabarev 2006). Initial analyses of over 1,500 Paleoindian fluted-point locations from the Paleoindian Database of the Americas (PIDBA; Anderson et al. 2006) illustrate the likely distributions of early populations in North America (Figure 1A). Projection of the North American Paleoindian niche model to East Asia and Siberia shows the possible parallel climatic and environmental locations for the cultural origins of the Paleoindians (Figure 1B). The darkest gray shading in the figures indicates areas of highest modeled probability for presence of human populations.

Although these analyses are exploratory at this stage, the patterns support the hypothesis that the earliest cultures of North America came from the southern latitudes of the Far East, rather than from the more northern latitudes of inland Siberia (Birdsell 1951). Eastern China, the Korean Peninsula, the Maritime region of the Russian Far East, Sakhalin Island, and the Japanese Archipelago look particularly promising as parallel climatic and environmental source regions and warrant further investigation; these regions are also logical choices for development of coastal adaptations and subsequent coastal migration into North America. Our results may also support the hypothesis that microblade occurrences in Alaska and Canada, which commonly post-date Clovis occurrences in the lower 48 states of the U.S. (Dumond 2001), could reflect a second migration from Siberia soon after the hypothesized coastal migration from the southern latitudes of the Far East (Birdsell 1951), perhaps as little as 1000–2000 calendar years later.

To clarify, the models presented here are based not upon comparisons of lithic technology, but rather on exploited ecological niches as manifested by geographic occurrences. The “Clovis”-based North American model projected onto Asia does not suggest where antecedents of Clovis technology are, but rather where antecedent human populations might have lived (i.e., under similar environmental conditions) prior to migration to the Americas (Birdsell 1951). We consider it unlikely that we can trace the origins of the first Americans through lithic technology, as many scholars have attempted, both over the decades and recently (Bradley and Stanford 2004; Brantingham et al. 2004; Collins 2005; Goebel 2004), but rather we need to focus on where parallel sets of conditions are manifested in coastal environments during the Pleistocene (Erlandson 2002). East Asia and the Japanese Archipelago, in particular, are the most likely cultural hearths when one also considers the




Figure 1. A, an ECNM-based predictive model highlights probable Paleindian population distributions and exploited ecological niches in North America; B, the projection of the North American Paleindian niche model onto contemporary conditions across Asia illustrates the possible ancestral population distributions of the “Clovis” Paleindians.

flexibility that a fishing-hunting-gathering adaptation offers to a rapidly growing and migrating population in the northern Pacific setting. This is precisely what the archaeology of East Asia and the Russian Far East suggests is occurring, with increasingly sedentary populations, such as Incipient Jomon beginning around 16,000 CALYBP (Taniguchi 2006), pressuring more mobile coastal groups to shift their ranges northward during the terminal Pleistocene (Gillam and Tabarev 2006; Ikawa-Smith 2004; Kobayashi 2004). Our models are already in the process of being refined with finer-resolution paleoclimate data to define further the likely population distributions and ecological niches exploited by these early hunter-gatherers.

References Cited

- Anderson, D. G., J. C. Gillam, N. Caithness, A. T. Peterson, S. J. Yerka, and C. Amman 2005 The Clovis Radiation and Post-Clovis Settlement in North America. Paper presented at the An OMLL-NSF International Symposium on Eco-Cultural Niche Modeling: Exploring the Potential of Eco-Cultural Niche Modeling for Reconstructing the Geography of Past Human Populations, Sept. 22–26, Les Eyzies, France.
- Anderson, D. G., J. C. Gillam, D. S. Miller, S. J. Yerka, and M. K. Faught 2006 Paleoindian Database of the Americas (PIDBA): Data and Distributions. Paper presented at the 71st annual meeting of the Society for American Archaeology (SAA), April 27, 2006, San Juan, Puerto Rico.
- Banks, W. E., F. d'Errico, H. Dibble, L. Krishtalka, D. West, D. I. Olszewski, A. T. Peterson, D. G. Anderson, J. C. Gillam, A. Montet-White, M. Crucifix, C. W. Marean, M. Sánchez-Goñi, B. Wohlfarth, M. Vanhaeran 2006 Eco-Cultural Niche Modeling: New Tools for Reconstructing the Geography and Ecology of Past Human Populations. *PaleoAnthropology* 2006:68–83.
- Birdsell, J. B. 1951 The Problem of the Early Peopling of the Americas as Viewed from Asia. In *Papers on the Physical Anthropology of the American Indian*, edited by W. S. Laughlin, Viking Fund, New York.
- Bradley, B., and D. Stanford 2004 The North Atlantic Ice-Edge Corridor: A Possible Paleolithic Route to the New World. *World Archaeology* 36(4):459–78.
- Brantingham, P. J., K. W. Kerry, A. I. Krivoshepa, Y. V. Kuzmin 2004 Time-Space Dynamics in the Early Upper Paleolithic of Northeast Asia. In *Entering America: Northeast Asia and Beringia Before the Last Glacial Maximum*, edited by D. B. Madsen, pp. 255–83, University of Utah Press, Salt Lake City.
- Collins, M. B. 2005 Comparing Clovis and the Western European Upper Paleolithic: What are the Rules of Evidence? In *Paleoamerican Origins: Beyond Clovis*, edited by R. Bonnicksen, B. T. Lepper, D. Stanford, and M. R. Waters, pp. 43–50, Center for the Study of the First Americans, Texas A&M University, College Station.
- Dumond, D. E. 2001 The Archaeology of Eastern Beringia: Some Contrasts and Connections. *Arctic Anthropology* (38)2:196–205.
- Erlandson, J. M. 2002 Anatomically Modern Humans, Maritime Voyaging, and the Pleistocene Colonization of the Americas. In *The First Americans: The Pleistocene Colonization of the Americas*, edited by N. G. Jablonski, Memoirs of the California Academy of Sciences Number 27, San Francisco, California, pp. 59–92.
- Gillam, J. C., and A. V. Tabarev 2006 Geographic Information Systems and Predictive Modeling: Prospects for Far East Archaeology. In *Archaeological Elucidation of the Japanese Fundamental Culture in East Asia*, Kokugakuin University 21st Century COE Program, Archaeology Series Vol. 7, Tokyo, Japan, pp. 63–76.
- Goebel, T. 2004 The Search for a Clovis Progenitor in Subarctic Siberia. In *Entering America: Northeast Asia and Beringia Before the Last Glacial Maximum*, edited by D. B. Madsen, University of Utah Press, Salt Lake City, pp. 211–56.
- Ikawa-Smith, F. 2004 Humans along the Pacific Margin of Northeast Asia before the Last Glacial Maximum: Evidence for their Presence and Adaptations. In *Entering America: Northeast Asia and*

Beringia Before the Last Glacial Maximum, edited by D. B. Madsen, pp. 285–309, University of Utah Press, Salt Lake City.

Kobayashi, T. 2004 *Jomon Reflections: Forager Life and Culture in the Prehistoric Japanese Archipelago*, edited by S. Kaner and O. Nakamura, Oxbow Books, Oxford.

Soberón, J., and T. Peterson 2004 Biodiversity Informatics: Managing and Applying Primary Biodiversity Data. *Philosophical Transactions of the Royal Society B: Biological Sciences* 359(1444):689–98.

Taniguchi, Y. 2006 Dating and Function of the Oldest Pottery in Japan. *Current Research in the Pleistocene* 23:33–35.